



Arrival / Departures				2014-01-13 (Tue)				2014-01-13 (Tue)							
QR	004	Doha	14:55	19:25	T2	H01	boarding	QR	004	Doha	14:55	19:25	T2	H04	boarding
LH	2510	Birmingham	15:25		T2	H41	boarding	LH	2510	Birmingham	15:25		T2	H41	boarding
LH	432	New York (EWR)	15:25		T2	H44	boarding	LH	432	New York (EWR)	15:25		T2	H44	boarding
LH	2418	Boschheim (ARN)	15:35		BE	G33	boarding	LH	2418	Boschheim (ARN)	15:35		BE	G33	boarding
LH	1334	Bilbao	15:35		BE	G11	boarding	LH	1334	Bilbao	15:35		BE	G11	boarding
LH	1874	Bologna	15:35		BE	G46	boarding	LH	1874	Bologna	15:35		BE	G46	boarding
LH	2098	Narver	15:35		T2	G13	boarding	LH	2098	Narver	15:35		T2	G13	boarding
LH	2478	London (LHR)	15:35		T2	H38	boarding	LH	2478	London (LHR)	15:35		T2	H38	boarding
LH	3200	Manchester	15:35		T2	H37	boarding	LH	3200	Manchester	15:35		T2	H37	boarding
LH	474	Munich (MUC)	15:35		BE	H10	boarding	LH	474	Munich (MUC)	15:35		BE	H10	boarding
LH	3378	Zurich	15:35		BE	G40	boarding	LH	3378	Zurich	15:35		BE	G40	boarding

P Series - Tough Displays

Distributed by



Sales Enquiries 1800 00 77 80
connect@madisonav.com.au

P Series - Tough Displays

PHILIPS

Professional Display Solutions

Meet the demands of challenging environments with a robust P-Line professional Full HD display. Tough components keep this display working from kitchen to engine room. The wide viewing angle ensures crucial information is clear.



- ▮ 24/7 Operation, Full HD range
- ▮ Sleek with 6.5mm bezels
- ▮ OPS slot – compatible with Crestron NVX Module
- ▮ 500 to 700 cd/m² brightness
- ▮ Cased in metal
- ▮ Heat management
- ▮ Universal serial control across the range
- ▮ A screen for high demand applications

Model numbers:

42BDL5055P	42 inch / 107 cm	1920 x 1080p
42BDL5057P	42 inch / 107 cm	1920 x 1080p
49BDL5055P	49 inch / 123 cm	1920 x 1080p
49BDL5057P	49 inch / 123 cm	1920 x 1080p
55BDL5055P	55 inch / 139 cm	1920 x 1080p
55BDL5057P	55 inch / 139 cm	1920 x 1080p



Sales Enquiries 1800 00 77 80
connect@madisonav.com.au

P Series Tough Displays Specifications

PHILIPS

Professional Display Solutions

Picture Display		42BDL5055P	42BDL5057P	49BDL5055P	49BDL5057P
Diagonal Size		42 inch / 107 cm	42 inch / 107 cm	49 inch / 123 cm	49 inch / 123 cm
Resolution		1920 x 1080p	1920 x 1080p	1920 x 1080p	1920 x 1080p
Brightness		500 nit	700 nit	500 nit	700 nit
Contrast Ratio		1300:1	1300:1	1300:1	1300:1
Dynamic CR		500,000:1	500,000:1	500,000:1	500,000:1
Response Time		8 ms	8 ms	8 ms	8 ms
Android Version		Android 5.1.1	Android 5.1.1	Android 5.1.1	Android 5.1.1
Connectivity					
Input	HDMI	2	2	2	2
	USB	1	1	1	1
	Wi-Fi	optional	optional	optional	optional
	Other	Display Port, DVI, VGA, RJ45, RS232, micro SD, micro USB, mPCIe	Display Port, DVI, VGA, RJ45, RS232, micro SD, micro USB, mPCIe	Display Port, DVI, VGA, RJ45, RS232, micro SD, micro USB, mPCIe	Display Port, DVI, VGA, RJ45, RS232, micro SD, micro USB, mPCIe
Output	DVI	1	1	1	1
	Other	Display Port, RS232	Display Port, RS232	Display Port, RS232	Display Port, RS232
	Speakers	2x 10W RMS	2x 10W RMS	2x 10W RMS	2x 10W RMS
Set Dimensions		946.9 (W) x 541.0(H) x 56.8 (D) mm	946.9 (W) x 541.0(H) x 56.8 (D) mm	1092.8 (W) x 623.0 (H) x 56.8 (D) mm	1092.8 (W) x 623.0 (H) x 56.8 (D) mm
Display Weight		15.5 kg	15.5 kg	19 kg	19 kg
Bezel Width		6.5mm	6.5mm	6.5mm	6.5mm
Warranty		3 Years	3 Years	3 Years	3 Years

Picture Display		55BDL5055P	55BDL5057P
Diagonal Size		55 inch / 139 cm	55 inch / 139 cm
Resolution		1920 x 1080p	1920 x 1080p
Brightness		500 nit	700 nit
Contrast Ratio		1300:1	1300:1
Dynamic CR		500,000:1	500,000:1
Response Time		8 ms	8 ms
Android Version		Android 5.1.1	Android 5.1.1
Connectivity			
Input	HDMI	2	2
	USB	1	1
	Wi-Fi	optional	optional
	Other	Display Port, DVI, VGA, RJ45, RS232, micro SD, micro USB, mPCIe	Display Port, DVI, VGA, RJ45, RS232, micro SD, micro USB, mPCIe
Output	DVI	1	1
	Other	Display Port, RS232	Display Port, RS232
	Speakers	2x 10W RMS	2x 10W RMS
Set Dimensions		1228.6 (W) x 699.4 (H) x 56.8 (D) mm	1228.6 (W) x 699.4 (H) x 56.8 (D) mm
Display Weight		25.2 kg	25.2 kg
Bezel Width		6.5mm	6.5mm
Warranty		3 Years	3 Years

Sales Enquiries 1800 00 77 80
connect@madisonav.com.au