


PHILIPS

Professional Display Solutions



X Series - Video Wall Displays

Distributed by



madisonAV
Specialised AV Solutions

Sales Enquiries 1800 00 77 80
connect@madisonav.com.au

X series - Video Wall Displays



Command attention with an X-Line professional video wall display. Crisp contrast and slim bezels enable clear, distraction-free imaging. Whether you're running an airport or hosting a conference.



- ▮ **IPS panel technology**
- ▮ **Entire range supports over 1 billion colours, and with no discolouration even from deeper angles, you are sure**
- ▮ **All the Video Wall Displays come with Display Port and DVI loop-through daisy chain options**
- ▮ **24/7, Full HD**
- ▮ **Options for 500 or 700 cd/m² brightness**
- ▮ **Options for 3.5mm or 1.8mm bezel to bezel thickness**
- ▮ **Available in landscape and portrait**

Model numbers:

49BDL3005X	49 inch / 123 cm	1920 x 1080p
55BDL3005X	55 inch / 139 cm	1920 x 1080p
BDL4988XH	49 inch / 123 cm	1920 x 1080p
BDL5588XH	55 inch / 139 cm	1920 x 1080p
55BDL1005X	55 inch / 139 cm	1920 x 1080p
55BDL1007X	55 inch / 139 cm	1920 x 1080p



Sales Enquiries 1800 00 77 80
connect@madisonav.com.au

X Series - Video Wall Displays

Specifications

PHILIPS

Professional Display Solutions

Picture Display	49BDL3005X	55BDL3005X	BDL4988XH	BDL5588XH
Diagonal Size	49 inch /123 cm	55 inch /139 cm	49 inch / 23 cm	55 inch /139 cm
Resolution	1920 x 1080p	1920 x 1080p	1920 x 1080p	1920 x 1080p
Brightness	3450 nit	500 nit	700 nit	700 nit
Contrast Ratio	1300:1	1400:1	1300:1	1700:1
Dynamic CR	500,000:1	500,000:1	500,000:1	500,000:1
Response Time	8 ms	12 ms	8 ms	12 ms
Connectivity				
Input	HDMI	2	2	2
	USB	1	1	1
	Other	Display Port, DVI, VGA, OPS, RJ45, RS232, Composite BNC, Component BNC x3	Display Port, DVI, VGA, OPS, RJ45, RS232, Composite RCA, Component RCA	Display Port, DVI, VGA, OPS, RJ45, RS232, Composite BNC, Component BNC x3
Output	RS232	1	1	1
	Speakers	2x 10W RMS	2x 10W RMS	2x 10W RMS
	Other	Display Port, DVI	Display Port, DVI	Display Port, DVI
Set Dimensions	1077.6 (W) x 607.8 (H) x 103.8(D) mm	1213.4 (W) x 684.2 (H) x 107.7 (D) mm	1077.6 (W) x 607.8 (H) x 103.8(D) mm	1213.4 (W) x 684.2 (H) x 103.4 (D) mm
Display Weight	21.6 kg	29.2 kg	21.6 kg	29.2 kg
Bezel Width	3.5 mm Picture to Picture	3.5 mm Picture to Picture	3.5 mm Picture to Picture	3.5 mm Picture to Picture
Warranty	3 Years	3 Years	3 Years	3 Years

Picture Display	55BDL1005X	55BDL1007X	
Diagonal Size	55 inch /139 cm	55 inch /139 cm	
Resolution	1920 x 1080p	1920 x 1080p	
Brightness	500 nit	700 nit	
Contrast Ratio	1400:1	1200:1	
Dynamic CR	500,000:1	500,000:1	
Response Time	8 ms	8 ms	
Connectivity			
Input	HDMI	2	2
	USB	1	1
	Other	Display Port, DVI, VGA, OPS, RJ45, RS232, Composite RCA, Component RCA	Display Port, DVI, VGA, OPS, RJ45, RS232, Composite RCA, Component RCA
Output	RS232	1	1
	Speakers	2x 10W RMS	2x 10W RMS
	Other	Display Port, DVI	Display Port, DVI
Set Dimensions	1211.4 (W) x 682.2 (H) x 98.5 (D) mm	1211.4 (W) x 682.2 (H) x 98.5 (D) mm	
Display Weight	24.4 kg	24.4 kg	
Bezel Width	3.5 mm Picture to Picture	3.5 mm Picture to Picture	
Warranty	3 Years	3 Years	

Sales Enquiries 1800 00 77 80
connect@madisonav.com.au